

SWINE ADVANCE

WHAT SWINE ADVANCE CAN DO FOR YOU

Why our products works

Swine Advance with its six sources of iron and its high level of vitamins has the essential nutrients to obtain the desired results fed at a rate of 20 lbs. per ton of complete feed in all sow and starter rations.

Our products do not take the place of good sound management practices.

SWINE OBJECTIVE

- **1.) Find the cause.** We do extensive on-farm analysis with each produce, which enables us to better serve you.
- **2.) Fix the cause.** We recommend ways for the producer to improve the quality of their livestock herds.
- **3.) Prevention.** We will show the producers preventive measures that will enhance each producer's net income.

Customer Requirements

Our customers demand that our products work, while improving the net income of each producer using our products. Our customers require 110% service and satisfaction.

Meeting these Requirements

- We have a nutrition consultant to assist with herd recommendations at no cost to you.
- Well-trained sales staff that offer a complete program with 110% service to our customers.

Cost/Benefit Analysis

Our products have a tremendous return on investment to the producers

Product/Service Area	Dollar Cost Range
Farrow to finish	\$15.00 – \$18.00/sow/year
Nursery to finish	\$2.60 - \$2.90/pig
Feeder to finish	\$2.50 - \$2.60/pig

^{*} Average return to producer is three times the investment in the product.

WHAT'S IN IT FOR ME?

Profit in today's agriculture is a matter of nickels and dimes. In production agriculture the advantage have is a matter of a small percentage or a lb. or two. In pork production the things that add up to dollars are healthy pigs sold. Nobody pays on anything else. Pretty doesn't count dollars in your pocket does. The following is just some examples of the results of good management, good feed and good health.

What if I?

Produced 1 extra pig per sow per year	Puts \$30.68 per sow per year in your pocket
Cut my average feed per sow by 1lb per day	Puts \$19.67 per sow per year in your pocket
Wean a 2 lb. heavier pig in the same days	Puts \$.32 per pig weaned in your pocket

Sow production increases from 21 pigs per sow to 21 1/2 pigs per sow at the same time as average feed fed per day dropped by 1/2 lb. per day and pigs were weaned @ at 1lb heavier.

Pig per sow per year increase	\$15.34
Cutting the average feed consumption by 1/2 lb./day	\$ 9.83
Heavier pig 21.5 pigs per sow times \$.16	<u>\$ 3.44</u>
Total in your pocket	\$28.61
Increased feed efficiency from 3.1 to 3.0	\$1.40 per pig
Drop my death loss and cull rate by 1%	\$.63 per pig
Increased average selling weight by 5 lbs	<u>\$.85</u> per pig
Total in your pocket	\$2.86 per pig

Give your Advanced Nutrition representative a call today and prove for yourself the difference nickels and dimes make in your operation.

SWINE ADVANCE

Gestation Sows

This product is utilized in all sow rations at an inclusion rate of 20 lbs. per ton fed continuously for the first 30 days. Thereafter gestating sows are to be fed 10 lbs. per ton until starting the lactation feed 14 days prior to farrowing.

Lactation Sows:

All lactating sows are to be fed at an inclusion rate of 20 lbs. per ton continuously.

Nursery Pigs:

Swine Advance is fed at an inclusion rate 20 lbs. per ton of feed until pigs reach 80 lbs. then are fed Swine Finisher Pak at a rate of 10 lbs. per ton fed alternating two week periods till swine are marketed. Swine Recharge can be used instead of the Swine Finisher Pak at an inclusion rate of 15 lbs. per ton fed alternating two-week periods till market.

Feeder Pigs:

Swine Advance is fed 20 lbs. ton of feed for 30 days then are fed Swine Finisher Pak at a rate of 10 lbs. per ton fed alternating two week periods till swine are marketed. Swine Recharge can be used instead of the Swine Finisher Pak at an inclusion rate of 15 lbs. per ton fed alternating two-week periods till market.

SWINE ADVANCE LABEL

A VITAMIN SUPPLEMENT FOR ALL CLASSES OF SWINE.

GUARANTEED ANALYSIS

CRUDE FAT, MIN	0.50%
CRUDE FIBER, MAX	5.00%
ZINC (ZN), MIN	1.50%
IRON (FE), MIN	1.80%
VITAMIN A (MIN) 180,000 I UNITS	PER LB
VITAMIN D3 (MIN) 5,250 I UNITS	PER LB
VITAMIN E (MIN) 1,000 I UNITS F	PER LB

INGREDIENTS

DRIED STREPTOCOCCUS FAECIUM FERMENTATION PRODUCT, DRIED LACTOBACILLUS ACIDOPHILUS FERMENTATION PRODUCT, YEAST CULTURE (LIVE SACCHAROMYCES CEREVISIAE GROWN ON MEDIA OF GROUND YELLOW CORN, DIASTATIC MALT & CANE MOLASSES), DRIED ASPERGILLUS ORYZAE FERMENTATION EXTRACT, DRIED ASPERGILLUS NIGER FERMENTATION EXTRACT, CORN DISTILLERS DRIED SOLUBLES, FISH MEAL, WHEAT MIDDLINGS, CALCIUM CARBONATE, POTASSIUM CHLORIDE, SODIUM SULFATE, SODIUM SELENITE, ALUMINUM CALCIUM SILICATE, VITAMIN A SUPPLEMENT, VITAMIN B12 SUPPLEMENT, ASCORBIC ACID (SOURCE OF VITAMIN C), D-ACTIVATED ANIMAL STEROL (SOURCE OF VITAMIN D3), VITAMIN E SUPPLEMENT, MENADIONE DIMETHYLPYRIMIDINOL BISULFITE (SOURCE OF VITAMIN K ACTIVITY), NIACIN, CALCIUM PANTOTHENATE, RIBOFLAVIN, CHOLINE CHLORIDE, PYRIDOXINE HYDROCHLORIDE, FOLIC ACID, BIOTIN, POLYSACCHARIDE COMPLEXES OF IRON, COPPER, MANGANESE AND ZINC, SODIUM BENTONITE, ETHOXYQUIN (A PRESERVATIVE), MINERAL OIL, MAGNESIUM OXIDE, IRON SULFATE, ZINC OXIDE, MANGANOUS OXIDE, CALCIUM IODATE, ARTIFICIAL FLAVOR.

FEEDING DIRECTIONS

SWINE RATIONS 20 LBS. PER TON OF COMPLETE RATION. CONSULT YOUR FEED REPRESENTATIVE FOR FURTHER INFORMATION.

NET WEIGHT 40 POUNDS (18.14 KG)

*MANUFACTURED FOR ADVANCED NUTRITION TECHNOLOGY, INC. ROCK VALLEY, IA 51247

SWINE ADVANCE PRIME TIME

Gestation Sows:

This product is utilized in all sow rations at an inclusion rate of 20 lbs. per ton of feed continuously for the first 30 days. Thereafter gestating sows are fed 10 lbs. per ton until starting the lactation feed 14 days prior to farrowing.

Lactation Sows:

All lactating sows are to be fed at an inclusion rate of 20 lbs. per ton continuously.

Nursery Pigs:

Swine Advance Prime Time is fed at an inclusion rate of 20 lbs. per ton of feed until pigs reach 80 lbs. then are fed Swine Finisher Pak at a rate of 10 lbs. per ton every other two weeks all the way to market. Swine Recharge can be used instead of the Swine Finisher Pak at an inclusion rate of 15 lbs. per ton fed alternating two-week periods till market.

Feeder Pigs:

Swine Advance Prime Time is fed 20 lbs. per ton of feed for 30 days then are fed Swine Finisher Pak at a rate of 10 lbs. per ton every other two-week period all the way to market. Swine Recharge can be used instead of the Swine Finisher Pak at an inclusion rate of 15 lbs. per ton fed alternating two-week periods till market.

SWINE ADVANCE PRIME TIME LABEL

A VITAMIN SUPPLEMENT FOR ALL CLASSES OF SWINE.

GUARANTEED ANALYSIS

INGREDIENTS

DRIED STREPTOCOCCUS FAECIUM FERMENTATION PRODUCT, DRIED LACTOBACILLUS ACIDOPHILUS FERMENTATION PRODUCT, YEAST CULTURE (LIVE SACCHAROMYCES CEREVISIAE GROWN ON MEDIA OF GROUND YELLOW CORN, DIASTATIC MALT & CANE MOLASSES), DRIED ASPERGILLUS ORYZAE FERMENTATION EXTRACT, DRIED ASPERGILLUS NIGER FERMENTATION EXTRACT, CORN DISTILLERS DRIED SOLUBLES, FISH MEAL, WHEAT MIDDLINGS, CALCIUM

CARBONATE, POTASSIUM CHLORIDE, SODIUM SULFATE SODIUM SELENITE, ALUMINUM CALCIUM SILICATE, VITAMIN A SUPPLEMENT, VITAMIN B12 SUPPLEMENT, ASCORBIC ACID (SOURCE OF VITAMIN C), D-ACTIVATED ANIMAL STEROL (SOURCE OF VITAMIN D3), VITAMIN E SUPPLEMENT,

MENADIONE DIMETHYLPYRIMIDINOL BISULFITE (SOURCE OF VITAMIN K ACTIVITY), NIACIN, CALCIUM PANTOTHENATE, RIBOFLAVIN, CHOLINE CHLORIDE, PYRIDOXINE HYDROCHLORIDE, FOLIC ACID, BIOTIN, POLYSACCHARIDE COMPLEXES OF IRON, COPPER, MANGANESE AND ZINC, CORN DISTILLERS DRIED SOLUBLES, SODIUM BENTONITE, ETHOXYQUIN (A PRESERVATIVE), ARTIFICIAL FLAVOR, MINERAL OIL, MAGNESIUM OXIDE, IRON SULFATE, ZINC OXIDE, MANGANOUS OXIDE, CALCIUM IODATE.

FEEDING DIRECTIONS

SOW GESTATION: 10 LBS. PER TON OF COMPLETE RATION. **SOW LACTATION**: 20 LBS. PER TON OF COMPLETE RATION. **NURSERY RATION**: 20 LBS. PER TON OF COMPLETE RATION.

NET WEIGHT 40 POUNDS (18.14 KG)

*MANUFACTURED FOR ADVANCED NUTRITION TECHNOLOGY, INC., ROCK VALLEY, IA 51247

SWINE ADVANCE RECHARGE

Gestation Sows

After the initial 30 day feeding program at 15 lbs. per ton Swine Advance Recharge is utilized in all sow rations at an inclusion rate of 7.5 lbs per ton of feed continuously. Until starting the lactation feed 14 days prior to farrowing.

Lactation Sows:

All lactating sows are to be fed at an inclusion rate of 15 lbs. per ton.

Nursery Pigs:

Swine Advance Recharge can be fed at an inclusion rate 15 lbs. per ton of feed until pigs reach 80 lbs. then are fed Swine Finisher Pak at a rate of 10 lbs. per ton fed alternating two week periods till swine are marketed. Swine Advance Recharge can be used instead of the Swine Finisher Pak at an inclusion rate of 15 lbs. per ton fed alternating two-week periods till market.

Feeder Pigs:

Swine Advance Recharge is fed, 15 lbs. per ton of feed for 30 days then are fed Swine Finisher Pak at a rate of 10 lbs. per ton fed alternating two week periods till swine are marketed. Swine Advance Recharge can be used instead of the Swine Finisher Pak at an inclusion rate of 15 lbs. per ton fed alternating two-week periods till market.

SWINE ADVANCE RECHARGE LABEL

GUARANTEED ANALYSIS

IN 4.00%
0.50%
3.00%
1IN 4.00%
25,000 PPM
25,000 PPM
N 25,000 PPM
650 PPM
250 PPM
80,000 I UNITS PER LB
2,000 I UNITS PER LB
200 I UNITS PER LB

INGREDIENTS

MAGNESIUM OXIDE, SODIUM BENTONITE, FERROUS SULFATE, ZINC SULFATE, POLYSACCHARIDE COMPLEXES OF IRON, COPPER, MANGANESE AND ZINC, CALCIUM IODATE, MANGANOUS OXIDE, ZINC OXIDE, VITAMIN A SUPPLEMENT, D-ACTIVATED ANIMAL STEROL (SOURCE OF VITAMIN D3), VITAMIN E SUPPLEMENT, MENADIONE DIMETHYLPYRIMIDINOL BISULFITE (A SOURCE OF VITAMIN K ACTIVITY), RIBOFLAVIN SUPPLEMENT, CALCIUM PANTOTHENATE, NIACIN SUPPLEMENT, CHOLINE CHLORIDE, VITAMIN B12 SUPPLEMENT, FOLIC ACID, BIOTIN, CORN DISTILLERS DRIED SOLUBLES, MAGNESIUM MICA, ETHOXYQUIN (A PRESERVATIVE), MINERAL OIL, FISH MEAL, WHEAT MIDDLINGS, CALCIUM CARBONATE, POTASSIUM CHLORIDE, SODIUM SULFATE, ALUMINUM CALCIUM SILICATE, ASCORBIC ACID (SOURCE OF VITAMIN C), PYRIDOXINE HYDROCHLORIDE, AND IRON OXIDE.

FEEDING DIRECTIONS

ADD 15 POUNDS TO ONE TON OF COMPLETE SWINE RATION. NET WEIGHT 45 POUNDS (20.41 KG)

*MANUFACTURED FOR ADVANCED NUTRITION TECHNOLOGIES, INC. ROCK VALLEY, IA 51247

SWINE ADVANCE FINISHER PAK

Nursery Pigs:

Swine Advance Finisher Pak is the perfect follow up companion to Swine Advance, Swine Advance Prime Time, or Swine Advance Recharge and should be use after the first 30-day feeding period at a rate of 10 lbs. per ton fed alternating two-week periods till market.

Feeder Pigs:

After feeding Swine Advance, Swine Advance Recharge or Swine Advance Prime Time for 30-days. Swine Advance Finisher Pak completes the job at an inclusion rate of 10 lbs. per ton fed alternating two-week periods till market.

SWINE ADVANCE FINISHER PAK LABEL

A VITAMIN SUPPLEMENT FOR ALL CLASSES OF SWINE.

SWINE FINISHER PAK

GUARANTEED ANALYSIS

CRUDE PROTEIN (MIN)	5.00%
CRUDE FAT (MIN)	1.00%
CRUDE FIBER (MAX)	5.00%
VITAMIN A (MIN) 300,000 I UNITS P	ER LB
VITAMIN D3 (MIN) 42,000 I UNITS P	ER LB
VITAMIN E (MIN) 425 I UNITS PE	R LB

INGREDIENTS

CORN DISTILLERS DRIED SOLUBLES, FISH MEAL, WHEAT MIDDLINGS, CALCIUM ARBONATE, POTASSIUM CHLORIDE, SODIUM SULFATE, ALUMINUM CALCIUM SILICATE, VITAMIN

A SUPPLEMENT, VITAMIN B12 SUPPLEMENT, ASCORBIC ACID (SOURCE OF VITAMIN C), D-ACTIVATED ANIMAL STEROL (SOURCE OF VITAMIN D3), VITAMIN E SUPPLEMENT, MENADIONE DIMETHYLPYRIMIDINOL BISULFITE (SOURCE OF VITAMIN K ACTIVITY), NIACIN, CALCIUM PANTOTHENATE, RIBOFLAVIN, CHOLINE CHLORIDE, PYRIDOXINE HYDROCHLORIDE, AND IRON OXIDE.

FEEDING DIRECTIONS

ADD 10 POUNDS TO ONE TON OF COMPLETE SWINE RATION.

NET WEIGHT 50 POUNDS (22.68 KG)

*MANUFACTURED FOR ADVANCED NUTRITION TECHNOLOGY, INC. ROCK VALLEY, IA 51247

SWINE RESQUE HP

The perfect choice for something extra

Nursery Pigs, Feeder Pigs, and Sows:

Swine Rescue is the perfect companion to other Swine Advance products and can be used during the first 30-day feeding period at a rate of 5 lbs. per ton.

SWINE RESQUUE LABEL HP

A VITAMIN SUPPLEMENT FOR ALL CLASSES OF SWINE.

GUARANTEED ANALYSIS

INGREDIENTS

CORN DISTILLERS DRIED SOLUBLES, SODIUM BENTONITE, CALCIUM CARBONATE, VITAMIN E SUPPLEMENT, SODIUM SELENITE, DRIED STREPTOCOCCUS FAECIUM FERMENTATION PRODUCT, DRIED LACTOBACILLUS ACIDOPHILUS FERMENTATION PRODUCT, YEAST CULTURE (LIVE SACCHAROMYCES CEREVISIAE GROWN ON MEDIA OF GROUND YELLOW CORN, DIASTATIC MALT & CANE MOLASSES), DRIED ASPERGILLUS ORYZAE FERMENTATION EXTRACT, DRIED ASPERGILLUS NIGER FERMENTATION EXTRACT, MINERAL OIL.

FEEDING DIRECTIONS

SWINE RATIONS 5 LBS. PER TON OF COMPLETE RATION. CONSULT YOUR FEED REPRESENTATIVE FOR FURTHER INFORMATION.

CAUTION: FOLLOW LABEL DIRECTIONS. THE ADDITION TO FEED OF HIGHER LEVELS OF THIS PREMIX IS NOT PERMITTED.

NET WEIGHT 40 POUNDS (18.14 KG)

*MANUFACTURED FOR ADVANCED NUTRITION TECHNOLOGY, INC. ROCK VALLEY, IA 51247

SWINE ADVANCE TOP RESPONSE

The perfect choice for a natural laxative

Sows:

Swine Advance Top Response is the perfect companion to other Swine Advance products and can be used as a top dressing when it is desired. Fed at a rate of 1 to 2 oz. per day this product keeps things moving naturally.

TOP RESPONSE LAXATIVE GUARANTEED ANALYSIS

INGREDIENTS

PSYLLIUM HULLS, MINERAL OIL, DRIED LACTOBACILLUS ACIDOPHILUS FERMENTATION PRODUCT, DRIED STREPTOCOCCUS FAECIUM FERMENTATION PRODUCT.

FEEDING DIRECTIONS

FEED ACCORDING TO RECOMMENDATIONS PROVIDED BY YOUR ADVANCED NUTRITION ADVISOR.

NET WEIGHT 40 POUNDS (18.14 KG)

*MANUFACTURED FOR ADVANCED NUTRITION TECHNOLOGY, INC. ROCK VALLEY, IA 51247